



GSK3 β (phospho Ser9) (ANT0078R) Rabbit mAb

CatalogNo: ANT8041 **Recombinant R**

Formulation: PBS, 50% glycerol, 0.05% Proclin 300, 0.05% BSA
Quantity : 100 μ g/vial

Host Species

- Rabbit
- Human, Mouse,

Reactivity

- WB, IHC, IF, IP, ELISA

Applications

MW

- 46kD (Calculated)
 - IgG, Kappa
- 46kD (Observed)

Isotype

Recommended Dilution Ratios

IHC 1:200-1000

WB 1:1000-5000

IF 1:200-1000

ELISA 1:5000-20000

IP 1:50-200

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Basic Information

Clonality Monoclonal

Clone Number ANT0078R

Target Information

Endogenous

Gene name GSK3B
Protein Name Glycogen synthase kinase-3 beta


Organism	Gene ID	UniProt ID
Human	2932;	P49841;
Mouse	56637;	Q9WV60;
Rat	84027;	P18266;

Cellular Localization Cytoplasmic, Membranous

Tissue specificity Expressed in testis, thymus, prostate and ovary and weakly expressed in lung, brain and kidney. Colocalizes with EIF2AK2/PKR and TAU in the Alzheimer disease (AD) brain.


Function Catalytic activity:ATP + [tau protein] = ADP + [tau protein] phosphate.,enzyme regulation:Inhibited when phosphorylated by AKT1.,Function:Participates in the Wnt signaling pathway. Implicated in the hormonal control of several regulatory proteins including glycogen synthase, MYB and the transcription factor JUN. Phosphorylates JUN at sites proximal to its DNA-binding domain, thereby reducing its affinity for DNA. Phosphorylates MUC1 in breast cancer cells, and decreases the interaction of MUC1 with CTNNB1/beta-catenin.,ANTM:Phosphorylated by AKT1 and ILK1.,similarity:Belongs to the protein kinase superfamily.,similarity:Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. GSK-3 subfamily.,similarity:Contains 1 protein kinase domain.,subunit:Monomer (By similarity). Interacts with CABYR, MUC1, NIN and PRUNE.,tissue specificity:Expressed in testis, thymus, prostate and ovary and weakly expressed in lung, brain and kidney.,

Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-GSK3 β (phospho Ser9) (ANT0078R) antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: HeLa Lane 2: Mouse skin Lane 3: HEK293 treated with serum in 30 minutes Predicted band size: 46kDa Observed band size: 46kDa

Human breast carcinoma was stained with Anti-GSK3 β (phospho Ser9) (ANT0078R) rabbit antibody



For Research use only, not for diagnostics and clinical use
Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com