



www.antageneinc.com

Mouse Monoclonal Antibody Lactate Dehydrogenase Isoenzyme V conjugated to Sepharose Beads

CatalogNo: ANT8056-M

Size 200ul

Storage Store at 4 °C for frequent use

Description

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamide-modified antibody with formylbenzamide-modified beads. It is useful for immunoprecipitation.

Lactate Dehydrogenase Isoenzyme V (ANT0096R)

Formulation: Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg ANaN3.

Host Species
Reactivity
WB,IHC,IF,IP,ELISA

MW
Isotype

• 36kD (Calculated)
36kD (Observed)

Reactivity
WB,IHC,IF,IP,ELISA

Recommended Dilution Ratios

IP

Basic Information

Clonality Monoclonal

Clone Number ANT0096R

Immunogen Information Specificity

Endogenous

Target Information

Gene name

LDHA PIG19

Protein Name

L-lactate dehydrogenase A chain (LDH-A) (Cell proliferation-inducing gene 19 protein) (LDH muscle subunit) (LDH-M) (Renal carcinoma antigen NY-REN-59)

Organism	Gene ID	UniProt ID
Human	<u>3939</u> ;	<u>P00338</u> ;
Mouse		<u>P06151</u> ;
Rat		<u>P04642</u> ;

Cellular

Cytoplasm

Localization

Tissue specificity Predominantly expressed in anaerobic tissues such as skeletal muscle and liver.


Function


Catalytic activity:(S)-lactate + NAD(+) = pyruvate + NADH., Caution: The sequence shown here is derived from an Ensembl automatic analysis pipeline and should be considered as preliminary data., Disease: Defects in LDHA are a cause of exertional myoglobinuria., online information: Lactate dehydrogenase entry, pathway: Fermentation; pyruvate fermentation to

lactate; (S)-lactate from pyruvate: step 1/1.,similarity:Belongs to the LDH/MDH

superfamily., similarity: Belongs to the LDH/MDH superfamily. LDH family., subunit: Homotetramer.,

Validation Data





Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Lactate Dehydrogenase Isoenzyme V (ANT0096R) antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: A431 Lane 2: Hela Predicted band size: 36kDa Observed band size: 36kDa

Rat heart was stained with Anti-Lactate Dehydrogenase Isoenzyme V (ANT0096R) rabbit antibody

Mouse heart was stained with Anti-Lactate Dehydrogenase Isoenzyme V (ANT0096R) rabbit antibody

For Research use only, not for diagnostics and clinical use

Contact Antagene Inc Tel 1-866-964-2589

Email: info@antageneinc.com