



www.antageneinc.com

Mouse Monoclonal Antibody CHOP conjugated to Sepharose Beads

CatalogNo: ANT8061-M

Size 200ul

Storage Store at 4 °C for frequent use

Description

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamide-modified antibody with formylbenzamide-modified beads. It is useful for immunoprecipitation.

CHOP (ANTO005R) Rabbit mAb

Formulation: Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg ANaN3.

Isotype

Host Species Reactivity Applications

• Rabbit • Human, Mouse, Rat, • WB, IHC, IF, IP, ELISA

MW19kD (Calculated)IgG,Kappa

30kD (Observed)

### Recommended Dilution Ratios

#### IP

#### **Basic Information**

**Clonality** Monoclonal

Clone Number ANT0005R

# Immunogen Information specificity

Endogenous

### **Target Information**

Gene name DDIT3
Protein Name DDIT3

Organism	Gene ID	UniProt ID	
Human	<u>1649</u> ;	<u>P35638</u> ;	
Mouse		<u>P35639</u> ;	
Rat		<u>Q62857</u> ;	

Cellular Localization Cytoplasm, Nucleus

Tissue specificity Muscle, Skeletal muscle,


**Function** 

Disease: A chromosomal aberration involving DDIT3 is found in a form of malignant myxoid liposarcoma [MIM:126337]. Translocation t(12;16)(q13;p11) with FUS., Function: Inhibits the

DNA-binding activity of C/EBP and LAP by forming heterodimers that cannot bind


DNA., similarity: Belongs to the bZIP family., similarity: Contains 1 bZIP domain., subunit: Heterodimer.,


# **Validation Data**



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-CHOP (ANT0005R) antibody. The HRPconjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: C6 Lane 2: HepG2 Lane 3: MCF7 Predicted band size:

19kDa Observed band size: 30kDa





For Research use only, not for diagnostics and clinical use
Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com