

www.antageneinc.com

Glutaminase C (ANT0068R) Rabbit mAb

CatalogNo: ANT8102 Recombinant R

Formulation: PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Quantity: 100 ug/vial

Host Species Reactivity Applications

Rabbit
Human, Mouse, Rat,
WB, IHC, IF, IP, ELISA

MW Isotype

• 68kD (Calculated) • IgG,Kappa

68kD (Observed)

Recommended Dilution Ratios

IHC 1:200-1000 WB 1:1000-5000 IF 1:200-1000 ELISA 1:5000-20000

LLI3A 1.3000-2000

IP 1:50-200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Basic Information

Clonality Monoclonal

Clone Number ANT0068R

Target Information

Immunogen Information Specificity

Endogenous

Gene name GLS GLS1 KIAA0838

Protein Name GLSK

Organism	Gene ID	UniProt ID
Human	<u>2744</u> ;	<u>094925</u> ;
Mouse	<u>14660</u> ;	<u>D3Z7P3</u> ;
Rat	<u>24398</u> ;	<u>P13264</u> ;

Cellular Localization Cytoplasm

Tissue specificity Isoform 1 and isoform 3 are detected in brain cortex. Isoform 3 is highly expressed in astrocytoma,


ganglioglioma and ependymoma. Isoform 1 is highly expressed in brain and kidney, but not detected in liver. Isoform 3 is highly expressed in heart and pancreas, detected at lower levels in placenta, lung, pancreas and kidney, but is not detected in liver. Isoform 2 is expressed in cardiac and skeletal muscle.

Function Catalytic activity:L-glutamine + H(2)O = L-glutamate + NH(3),,Function:Catalyzes the first reaction in

the primary pathway for the renal catabolism of glutamine., similarity: Belongs to the glutaminase family., similarity: Contains 1 ANK repeat., tissue specificity: KGA is expressed predominantly in brain and kidney but not in liver, GAC is expressed principally in cardiac muscle and pancreas but not in liver or


brain, and GAM is expressed solely in cardiac and skeletal muscle.,

Validation Data




Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Glutaminase C (ANT0068R) antibody. The HRP-conjugated Goat anti-Rabbit IgG(H+L) antibody was used to detect the antibody. Lane 1: Hela Lane 2: K562 Lane 3: U-14 Lane 4: Rat womb Lane 5:

Mouse spleen Predicted band size: 68kDa Observed band size: 68kDa



 $\label{lem:mouse} Mouse \ colon \ was \ stained \ with \ Anti-Glutaminase \ C \ (ANT0068R) \ rabbit \ antibody$ $\ Human \ kidney \ was \ stained \ with \ Anti-Glutaminase \ C \ (ANT0068R) \ rabbit \ antibody$



Human colon carcinoma was stained with Anti-Glutaminase C (ANT0068R) rabbit antibody

For Research use only, not for diagnostics and clinical use Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com