



www.antageneinc.com

Mouse Monoclonal Antibody Hsp70 conjugated to Sepharose Beads

CatalogNo: ANT8139-M

Size 200ul

Storage Store at 4 °C for frequent use

Description

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamidemodified antibody with formylbenzamide-modified beads. It is useful for immunoprecipitation.

Hsp70 (ANT0018R) Rabbit mAb

Formulation: Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg ANaN3.

Host Species Rabbit 	• Human, Mouse, Rat,	ReactivityWB,IHC,IF,IP,ELISA	Applications
MW • 70kD (Calc 70kD (Observ		Isotype	

Recommended Dilution Ratios

IP Basic Information

Clonality

Monoclonal


Clone Number ANT0018R

Immunogen Information Specificity

Endogen	ous			
Gene name	HSPA1A;HSPA1B			
Protein Name	Heat shock 70 kDa protein 1A/1B			
	Organism	Gene ID	UniProt ID	
	Human	<u>3303; 3304</u> ;	PODMV8; PODMV9; ;	
Cellular Localization	Nucleus			
Tissue specificity	Brain, Cajal-Retzius cell, Em	bryonic kidney,Epithelium,Fet	tal	
Function	Function: In cooperation with other chaperones, Hsp70s stabilize preexistent proteins against aggregation and mediate the folding of newly translated polypeptides in the cytosol as well as organelles. These chaperones participate in all these processes through their ability to recognize nonnative conformations of other proteins. They bind extended peptide segments with a net hydrophobic character exposed by polypeptides during translation and membrane translocation following stress-induced damage. In case of rotavirus A infection, serves as a post-attachment of the virus to facilitate entry into the cell., induction: By heat shock., similarity: Belongs to the hydrophobic character is 20 femile as the cell.			

shock protein 70 family., subunit: HSPA1B is found in a sperm-specific complex with CATSPER1 and CATSPERB (By similarity). Interacts with TSC2. Interacts with IRAK1BP1., tissue specificity: HSPA1B is testis-specific.,

Validation Data




Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Hsp70 (ANT0018R) antibody. The HRPconjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: A172 Lane 2: Hela Lane 3: Mouse brain Lane 4: Rat brain

Predicted band size: 70kDa Observed band size: 70kDa



Mouse brain was stained with Anti-Hsp70 (ANT0018R) rabbit antibody



(ANT0018R) rabbit antibody

For Research use only, not for diagnostics and clinical use Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com