

www.antageneinc.com

Mouse Monoclonal Antibody ATF-4 conjugated to Sepharose Beads

CatalogNo: ANT8169-M

Size 200ul

Storage Store at 4 °C for frequent use

Description

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamidemodified antibody with formylbenzamide-modified beads. It is useful for immunoprecipitation.

ATF-4 (ANT0094R) Rabbit mAb

Formulation: Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg ANaN3.

Applications Host Species Reactivity Rabbit WB,IHC,IF,IP,ELISA • Human, Mouse, Rat, MW Isotype

• 38kD (Calculated) • IgG,Kappa

49kD (Observed)

Recommended Dilution Ratios

IP

Basic Information

Clonality Monoclonal Clone Number ANT0094R

Immunogen Information

Specificity Endogenous

Gene name ATF4

Protein Name Cyclic AMP-dependent transcription factor ATF-4

Organism	Gene ID	UniProt ID
Human	<u>468</u> ;	<u>P18848</u> ;
Mouse	<u>11911</u> ;	<u>Q06507</u> ;

Cellular Nucleus

Localization


Tissue specificity Bladder, Colon, Fibroblast, Leukemic T-cell, Lung, Ovary, Placenta,

Function Function: Transcriptional activator. Binds the cAMP response element (CRE) (consensus:

5'GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters. It binds to a Tax-responsive enhancer element in the long terminal repeat of HTLV-I.,similarity:Belongs to the bZIP family.,similarity:Contains 1 bZIP domain.,subcellular location:Colocalizes with GABBR1 in hippocampal neuron dendritic membranes.,subunit:Interacts with the C-terminal region of GABBR1 via the leucine zipper of its C-terminal bZIP domain. Interacts with the Cterminal region of GABBR2 (By similarity).

Binds DNA as a homo-or heterodimer. Interacts with the N-terminal region of CEP290.,

Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-ATF-4 (ANT0094R) antibody. The HRPconjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1:Hela treated with serum for 30min Predicted band size:

38kDa Observed band size: 49kDa Mouse lung was stained with Anti-ATF-4 (ANT0094R) rabbit antibody

Rat lung was stained with Anti-ATF-4 (ANT0094R) rabbit antibody

For Research use only, not for diagnostics and clinical use
Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com