



www.antageneinc.com

CD31 (ANT0050R) Rabbit mAb

CatalogNo: ANT8207 Recombinant R

Formulation: PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Quantity: 100 ug/vial

Host Species Reactivity Applications

Rabbit
 Human, Mouse, Rat,
 WB, IHC, IF, IP, ELISA

MW Isotype

• 81kD (Calculated) • IgG,Kappa

130kD (Observed)

Recommended Dilution Ratios

IHC 1:1000-1:2000 WB 1:1000-1:5000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Basic Information

Clonality Monoclonal

Clone Number ANT0050R

Target Information

Immunogen Information Specificity

Endogenous

Gene name

PECAM1

Protein Name

Platelet endothelial cell adhesion molecule (PECAM-1) (EndoCAM) (GPIIA') (PECA1) (CD

antigen CD31)

Organism	Gene ID	UniProt ID
Human	<u>5175</u> ;	<u>P16284</u> ;
Mouse	<u>18613</u> ;	<u>Q08481</u> ;
Rat	<u>29583</u> ;	Q3SWT0;

Cellular Localization Membrane

Tissue specificity Expressed on platelets and leukocytes and is primarily concentrated at the borders between

endothelial cells (PubMed:18388311, PubMed:21464369). Expressed in human umbilical vein endothelial cells (HUVECs) (at protein level) (PubMed:19342684, PubMed:17580308). Expressed on neutrophils (at protein level) (PubMed:17580308). Isoform Long predominates in all tissues examined (PubMed:12433657). Isoform Delta12 is detected only in trachea (PubMed:12433657). Isoform Delta14-15 is only detected in lung (PubMed:12433657).


Isoform Delta14 is detected in all tissues examined with the strongest expression in heart (PubMed:12433657). Isoform Delta15 is expressed in brain, testis, ovary, cell surface of platelets, human umbilical vein endothelial cells (HUVECs), Jurkat T-cell leukemia, human erythroleukemia (HEL) and U-937 histiocytic lymphoma cell lines (at protein level) (PubMed:12433657,

PubMed:18388311).

Function


Function: This protein is a cell adhesion molecule expressed on platelets and at endothelial cell intercellular junctions.,online information:CD31 entry,online information:PECAM-1,online information: The Singapore human mutation and polymorphism database, ANTM: Phosphorylated on Ser and Tyr residues after cellular activation., similarity: Contains 6 Ig-like C2-type (immunoglobulin-like) domains.,tissue specificity:Long isoform predominates all tissues examined, isoform Delta12 was detected only in trachea and isoform Delta14-15 only in lung, isoform Delta14 was detected in all tissues examined with the strongest expression in heart.,

Validation Data




Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-CD31 (ANT0050R) antibody. The HRPconjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: THP-1 Lane 2: Rat spleen Predicted band size: 81kDa Observed band size: 130kDa


Human tonsil was stained with anti-CD31 (ANT0050R) rabbit antibody




Mouse lung was stained with anti-CD31 (ANT0050R) rabbit antibody




Rat lung was stained with anti-CD31 (ANT0050R) rabbit antibody



Immunofluorescence analysis of A549. 1, primary Antibody(red) was diluted at 1:200(4°C overnight). 2, Goat Anti Rabbit IgG (H&L) - Alexa Fluor 594 Secondary antibody was diluted at 1:1000(room temperature, 50min).3, Picture B: DAPI(blue) 10min.



Immunofluorescence analysis of Hela cell. 1,BMP-2 Antibody(green) was diluted at 1:200(4° overnight). (red) was diluted at 1:200(4° overnight). 2, Goat Anti Rabbit Alexa Fluor 488 Catalog:RS3211 was diluted at 1:1000(room temperature, 50min). Goat Anti Mouse Alexa Fluor 594 Catalog:RS3608 was diluted at 1:1000(room temperature, 50min).



Western blot analysis of lysates from 1) HepG2, 2) K562,3) L929,4) MOUSEBRAIN cells, (Green) primary antibody was diluted at 1:1000, 4°over night, secondary antibody(cat:RS23920)was diluted at 1:10000, 37° 1hour. (Red) Actin β Monoclonal Antibody(5B7) (cat:YM3028) antibody was diluted at 1:5000 as loading control, 4° over night, secondary antibody(cat:RS23710)was diluted at 1:10000, 37° 1hour.

For Research use only, not for diagnostics and clinical use
Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com