



www.antageneinc.com

Mouse Monoclonal Antibody FTO conjugated to Sepharose Beads

CatalogNo: ANT8233-S

Size 200ul

Storage Store at 4 °C for frequent use

Description

This Antagene antibody is immobilized via covalent binding of primary amino groups to Nhydroxysuccinimide (NHS)-activated sepharose beads. It is useful for immunoprecipitation assays.

FTO (ANT0083R) Rabbit mAb

Formulation: 50% slurry in PBS pH 7.2 with 0.01mg NaN3a3 preservative.

Host Species Rabbit 	• Human,Mouse,Rat,	ReactivityWB,IHC,IF,IP,ELISA	Applications
MW • 58kD (Calco 58kD (Observ		Isotype	

Recommended Dilution Ratios

IP Basic Information


Clonality

Monoclonal

Immunogen Information

Specificity Endogenous						
Gene name	FTO					
Protein Name	Name Alpha-ketoglutarate-dependent dioxygenase FTO					
	Organism	Gene ID	UniProt ID			
	Human	<u>79068</u> ;	<u>Q9C0B1;</u>			
	Mouse	<u>26383</u> ;	<u>Q8BGW1</u> ;			
	Rat	<u>291905</u> ;	<u>Q2A121</u> ;			
Cellular Localization	Cytoplasm, Nucleus					
Tissue specificity Ubiquitously expressed, with relatively high expression in adrenal glands and brain; especially in hypothalamus and pituitary (PubMed:17434869, PubMed:17496892). Highly expressed in highly expressed in acute myeloid leukemias (AML) with t(11;11)(q23;23) with KMT2A/MLL1 rearrangements, t(15;17)(q21;q21)/PML-RARA, FLT3-ITD, and/or NPM1 mutations (PubMed:28017614).						
Function	Function:The precise function of this protein remains to be determined.,polymorphism:At least one intronic variation within the gene predisposes to childhood and adult obesity.,similarity:Belongs to the fto family.,tissue specificity:Ubiquitously expressed, with relatively high expression in adrenal glands and brain; especially in hypothalamus and pituitary.,					


Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti- FTO (ANT0083R) antibody. The HRPconjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: Jurkat Lane 2: Hela Lane 3: U-14 Lane 4: Rat ovary

Predicted band size: 58kDa Observed band size: 58kDa

Human kidney was stained with anti-FTO (ANT0083R) rabbit antibody



For Research use only, not for diagnostics and clinical use Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com