



www.antageneinc.com

Vimentin (ANT0095R) Rabbit mAb

CatalogNo: ANT8324 Recombinant R

Formulation: PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Quantity: 100 ug/vial

Host Species Reactivity Applications

Rabbit
 Human, Mouse, Rat,
 WB, IHC, IF, IP, ELISA

MW Isotype

• 54kD (Calculated) • IgG,Kappa

54kD (Observed)

Recommended Dilution Ratios

IHC 1:1000-1:5000 WB 1:1000-1:5000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Basic Information

Clonality Monoclonal

Clone Number ANT0095R

Target Information

Immunogen Information Specificity

Endogenous

Gene name

VIM

Protein Name

Vimentin

Oı	rganism	Gene ID	UniProt ID
	Human	<u>7431</u> ;	<u>P08670</u> ;
	Mouse	<u>22352</u> ;	<u>P20152</u> ;
	Rat	<u>81818</u> ;	<u>P31000</u> ;

Cellular

Cytoplasm

Localization

Tissue specificity Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no


 $expression\ in\ Burkitt's\ lymphoma\ cell\ lines.\ Expressed\ in\ many\ hormone-independent$

mammary carcinoma cell lines.

Function

Function:Vimentins are class-III intermediate filaments found in various non-epithelial cells, especially mesenchymal cells.,online information:Vimentin entry,ANTM:One of the most prominent phosphoproteins in various cells of mesenchymal origin. Phosphorylation is enhanced during cell division, at which time vimentin filaments are significantly reorganized.,sequence Caution:Intron retention.,similarity:Belongs to the intermediate filament family.,subunit:Homopolymer. Interacts with HCV core protein. Interacts with LGSN and SYNM.,tissue specificity:Highly expressed in fibroblasts, some expression in T- and Blymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.,


Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Vimentin (ANT0095R) antibody. The HRPconjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: Hela Lane 2: U2OS Lane 3: C6 Lane 4: U-14 Predicted band size: 54kDa Observed band size: 54kDa

Human colon was stained with anti-Vimentin (ANT0095R) rabbit antibody Mouse colon was stained with anti-Vimentin (ANT0095R) rabbit antibody

Rat colon was stained with anti-Vimentin (ANT0095R) rabbit antibody



Immunofluorescence analysis of Hela cell. 1,Vimentin Antibody(green) was diluted at 1:200(4° overnight). 2, Goat Anti Rabbit Alexa Fluor 488 Catalog:RS3211 was diluted at 1:1000(room temperature, 50min). 3 DAPI(blue) 10min.

For Research use only, not for diagnostics and clinical use
Contact Antagene Inc Tel 1-866-964-2589 Email: info@antageneinc.com