



Product Information Sheet

Monoclonal Anti-Growth hormone - conjugated to Magnetic Beads

Catalogue No. MA1046-M

Immunogen

Recombinant hGH.

Lot No. 08A12

Purification

Purified by the goat anti-mouse IgG affinity chromatography.

Clone: GH-15

Ig type: mouse IgG1

Formulation

Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg NaN₃.

Size: 200µl

Specificity

Human.

No cross reactivity with other proteins.

Storage

Store at 4°C for frequent use.

Recommended application

Immunoprecipitation(IP)

Description

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamide-modified antibody with formylbenzamide-modified beads. It is useful for immunoprecipitation.

.
.

BACKGROUND

Growth Hormone (GH) is mapped to 17q22-q24. Human growth hormone has a molecular mass of 22,005 and contains 191 amino acid residues with 2 disulfide bridges. It binds two receptor molecules and thereby induces signal transduction through receptor dimerization. At high concentrations, GH acts as an antagonist because of a large difference in affinities at the respective binding sites.

REFERENCE

1. Niall, H. D.; Hogan, M. L.; Sauer, R.; Rosenblum, I. Y.; Greenwood, F. C. : Sequence of pituitary and placental lactogenic and growth hormones: evolution from a primordial peptide by gene reduplication. Proc. Nat. Acad. Sci. 68: 866-869, 1971.
2. Sundstrom, M.; Lundqvist, T.; Rodin, J.; Giebel, L. B.; Milligan, D.; Norstedt, G. : Crystal structure of an antagonist mutant of human growth hormone, G120R, in complex with its receptor at 2.9 angstrom resolution. J. Biol. Chem. 271: 32197-32203, 1996.

For Research Use Only not for diagnostic and clinical use

Contact: Antagene, Inc. | Tel: 1 (866) 964-2589 | Fax: 1 (888) 225-1868 | Email: Info@antageneinc.com