



## Product Information Sheet

### **Polyclonal Anti-Insulin like 3, *INSL3* (Magnetic Bead Conjugate)**

**Catalogue No.** PA1044-M

**Lot No.** 0101012094483

**Ig type:** rabbit IgG

**Size:** 100µg/vial

**Specificity**

Human, rat.

No cross reactivity with other proteins.

**Recommended application**

ImmunoPrecipitation (IP)

**Immunogen**

A synthetic peptide corresponding to a sequence of the C-terminal of human INSL3 (115-131aa), different from the related rat and mouse sequence by three amino acids.

**Purity**

Immunogen affinity purified.

**Contents**

Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg NaN<sub>3</sub>.

**Storage**

Store at 4°C for frequent use.

**Description**

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamide-modified antibody with formylbenzamide-modified magnetic beads. It is useful for immunoprecipitation

### **BACKGROUND**

Insulin-like 3 (INSL3), a member of the insulin-like hormone superfamily, is specifically expressed in Leydig cells of the fetal and postnatal testis and in theca cells of the postnatal ovary. It is synthesized as a 131-amino acid preproprotein, which contains a 24-amino acid signal peptide. The human INSL3 gene is assigned to bands p13.2-p12 of the short arm of chromosome 19 with the similar organization to that of insulin and relaxin. INSL3 induces gubernaculum development in an androgen-independent way, while androgen-mediated regression of the CSL occurs independently from Insl3. Moreover, INSL3 is a ligand for LGR8 and INSL3-LGR8 mutations are believed to be associated with human cryptorchidism.

### **REFERENCE**

1. Adham IM, Burkhardt E, Benahmed M, Engel W. Cloning of a cDNA for a novel insulin-like peptide of the testicular Leydig cells. J Biol Chem. 1993 Dec 15; 268(35):26668-72.
2. Burkhardt E, Adham IM, Brosig B, Gastmann A, Mattei MG, Engel W. Structural organization of the porcine and human genes coding for a Leydig cell-specific insulin-like peptide (LEY I-L) and chromosomal localization of the human gene (INSL3). Genomics. 1994 Mar 1; 20(1):13-9.
3. Zimmermann S, Steding G, Emmen JM, Brinkmann AO, Nayernia K, Holstein AF, Engel W, Adham IM. Targeted disruption of the Insl3 gene causes bilateral cryptorchidism. Mol Endocrinol. 1999 May; 13(5):681-91.
4. Foresta C, Ferlin A. Role of INSL3 and LGR8 in cryptorchidism and testicular functions. Reprod Biomed Online. 2004 Sep; 9(3):294-8.

**For Research Use Only not for diagnostic and clinical use**

**Contact:** Antagene, Inc. | Tel: 1 (866) 964-2589 | Fax: 1 (888) 225-1868 | Email: [Info@antageneinc.com](mailto:Info@antageneinc.com)