



Product Information Sheet

Polyclonal Anti- Fas-associated factor-1, FAF1 (Magnetic Bead Conjugate)

Catalogue No. PA1337-M

Lot No. 0131012033799

Ig type rabbit IgG

Size 100µg/vial

Specificity

Human, rat

No cross reactivity with other proteins.

Recommended application

ImmunoPrecipitation (IP)

Immunogen

A synthetic peptide corresponding to a sequence at the N-terminal of human FAF1 (1-22 aa), identical to the related mouse and rat sequence.

Purity

Immunogen affinity purified.

Contents

Each vial contains 1mg/ml Magnetic Bead in PBS, pH 7.2, 0.05mg NaN₃.

Storage

Store at 4°C for frequent use.

Description

This Antagene antibody is immobilized by the covalent reaction of hydrazinonicotinamide-modified antibody with formylbenzamide-modified magnetic beads. It is useful for immunoprecipitation.

BACKGROUND

Fas-associated factor-1 (FAF1) is a Fas-binding pro-apoptotic protein that is a component of the death-inducing signaling complex in Fas-mediated apoptosis. FAF1 is involved in negative regulation of NF-kappaB activation. In addition to the previously known function as a component of the Fas death-inducing signaling complex, i.e. NF-kappaB activity suppressor by cytoplasmic retention of NF-kappaB p65 via physical interaction.¹ hFAF1 was expressed abundantly in testis, skeletal muscle, and heart as 2.8 kb mRNA. Polyclonal antibody against hFAF1 detected 74 kD protein, a deduced protein size from the ORF and 40 kD protein in some cell lines.²

REFERENCE

- 1、 J Biol Chem. 2004 Jan 23;279(4):2544-9. Epub 2003 Nov 4. Fas-associated factor-1 inhibits nuclear factor-kappaB (NF-kappaB) activity by interfering with nuclear translocation of the RelA (p65) subunit of NF-kappaB. Research Center for Biomedical Resources and the Division of Life Science, PaiChai University, Daejeon 302-735, Korea.
- 2、 1\ Ryu, S. W., Chae, S. K., Lee, K. J., Kim, E. Identification and characterization of human Fas associated factor 1, hFAF1. Biochem. Biophys. Res. Commun. 262: 388-394, 1999.